

Town of Amherst Department of Public Works 2006 Water Quality Report

Dear Customer:

In the year 2006, drinking water supplied by the Town of Amherst (PWS ID#1008000) met all U.S. Environmental Protection Agency (EPA) and state drinking water health standards. This annual report will detail where town water comes from, what it contains, and the risks water testing and treatment are designed to prevent. This is the ninth year this report has been disseminated. Although much of the information in this report is required, we will supplement those elements with information of interest to the public.


1. Water Sources

The Town currently has seven sources that contribute to meeting the water demand: Atkins Reservoir, the Pelham Reservoir System, the South Amherst Wells (#1 & #2), The Brown Well (#3), the Lawrence Swamp Well (#4) and the Bay Road Well (#5). Both surface water supplies, Atkins and Pelham, and Wells 1, 2 & 3 are used year round to satisfy the required demands. These five sources supply approximately 90% of the total water produced. Wells #4 and #5 operate during high demand periods and summer months when the reservoirs are low. In 2002, a Source Water Assessment Program (SWAP) was completed on the Amherst water system by the Massachusetts Department of Environmental Protection. This SWAP report assesses the susceptibility of the Towns drinking water sources to contaminants and outlines recommendations for drinking water protection. A copy is available at the Department of Public Works and online at www.mass.gov/dep/


2. Water Consumption Data

The average daily water consumption for the year 2006 was 3.322 million gallons, with a peak demand of 4.143 million gallons on August 2, 2006.

Water Consumption FY06



Ten Year Water Consumption



3. Substances Found in Tap Water

In order to ensure that tap water is safe to drink, the MADEP and EPA prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. The Food and Drug Administration (FDA) and the Massachusetts Department of Public Health (DPH) regulations establish limits for contaminants in bottled water that must provide the same protection for public health. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA Safe Drinking Water Hotline at 800-426-4791, or online at www.epa.gov. Sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water include:

<u>Microbial Contaminants</u>- such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.

<u>Inorganic Contaminants</u>- such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining and farming.

Pesticides and Herbicides- may come from many sources such as agriculture, urban storm water runoff, and residential uses.

<u>Organic Chemical Contaminants</u>- including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.

Radioactive Contaminants- which can be naturally occurring or be the result of oil and gas production and mining activities.

4. Vulnerability

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and some infants can be particularly at risk for infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

5. Lead & Copper

Elevated levels of lead and copper in drinking water usually indicate water that has corrosive qualities and may attack the household plumbing. Most homes use copper piping, and the solder used to hold the fixtures together might contain lead (lead in solder was discontinued in 1989). All water supplies in Amherst are treated for corrosion control by the addition of sodium hydroxide to reduce corrosion. In the last required sampling done in 2005, water samples from thirty-nine homes were analyzed, and the results are summarized in the table below. Only 1 sample was found to have lead levels over the action level (AL).

Substance	MCLG	Highest Level	90% Value*	Action Level
Lead	0 ppb	290 ppb	2.9 ppb	15 ppb
Copper	1.3 ppm	0.29 ppm	.097 ppm	1.3 ppm

*The 90% Value is the value below which 90% of the data falls. If the 90% value is below the AL, no further action is necessary

6. Treatment Plant Efficiency

All water from surface water supplies is treated by coagulation of the insoluble contaminants and then filtered through a fine sand-like material. The effectiveness of this process is measured by the cloudiness of the water (turbidity) leaving the treatment plant. Turbidity occurs naturally as a result of soil erosion due to turbulence in the tributaries that supply the reservoir. The following turbidity data illustrates the daily average performance of the two water treatment plants that serve Amherst. Drinking water regulations require the turbidity to be less than 0.3 in 95% of the samples.

Samples are taken every 4 hours	Raw Wa	ter Turbidity	Treated Water Turbidity				
Treatment Plant	Annual Average			Maximum Reading			
Centennial	0.30	0.48	0.07	0.13			
Atkins	0.43	0.67	0.11	0.14			
Note: All units measured in NTU= Nephelometric Turbidity Units							

7. Water Quality

The following table lists all of the drinking water contaminants that we detected during the calendar year of this report. The presence of contaminants in the water does not necessarily indicate that the water poses a health risk. Unless otherwise noted, the data presented in this table is from testing done in the calendar year of the report. Sometimes the EPA or MA DEP requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently. All water sources are analyzed for the following chemical substances: inorganics (metals and salts), nitrate, nitrite, lead, copper, disinfection byproducts, volatile organic substances (petroleum and solvents) and synthetic organic compounds (herbicides and pesticides). All of these substances that were detected were below the federal limits. The table below indicates contaminants that were detected in your drinking water. None of these substances were above the levels designated by the Safe Drinking Water Act as being a health risk. The following definitions will help explain the water quality table:

Important Drinking Water Definitions:

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.

Action Level (AL): The concentration of a contaminant, which, if exceeded, triggers treatment or other requirements that a water system must follow.

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants (e.g. chlorine, chloramines, chlorine dioxide).

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

	1	1	1			I	1	T
I. Regulated Substances a) Inorganic Sub	Date Tested	Unit	MCL	MCLG	Highest Detected Level	Range of Data	Major Sources	Violation
., . 8							Added to prevent	
Fluoride	6/21/2006	ppm	4	N/A	1.3	0.98 - 1.3	tooth decay	NO
		FF		,			Erosion of	
Barium	6/27/2006	ppm	2	2	< 0.01	< 0.01	natural deposits	NO
Nitrate (measured as nitrogen)	4/11/2006	ppm	10	10	2.5	<0.05 – 2.5	Runoff from fertilizer; Leaching from septic tanks, Sewage; Erosion of natural deposits	NO
b) Disinfection (Contaminants							<u> </u>
Total Trihalomethanes	8 Sites Quarterly	ppb	* 80		78.9	2.8 – 78.9	Byproduct from chlorination	NO
Haloacetic Acids	8 Sites Quarterly	ppb	* 60		93.5	6.0 – 93.5	Byproduct from chlorination	NO
Combined Chlorine	2 Times a Month	ppm	4.0	0	3.0	0.0 - 3.0	Applied Disinfectant	NO
c) Radioactive C	Contaminants							
Gross Alpha (pCi/l)	9/24/2003	pCi/l	15	0	0.66	0.26 – 0.66	Erosion from natural deposits	NO
Radium 226 & 228 (pCi/l)	9/24/2003	pCi/l	5	0	0.75	0.21 - 0.75	Decay of natural and manmade deposits	NO
II. Unregulated Substances	Date Tested	Unit	MCL	MCLG	Highest Detected Level	Range of Data	Major Sources	Violation
Sodium	6/27/2006	ppm	None	None	11	10 – 11	Road salt; Chlorine; Lye	NO
Sulfate	4/11/2006	ppm	None	None	27	4.6 – 27	Natural deposits; Landfills; Dumps;	NO

^{*} Based on an annual running average




<u>Hydrants</u> The town has over 5000 fire hydrants. We appreciate your help in keeping them accessible to the Fire Department by removing snow and brush around them.

<u>Water Bills</u> – Any questions about your water bill should be directed to the Collector's Office at 413-259-3020.

<u>Water Meters</u> - On the Water Department page of the town website, <u>www.amherstma.gov</u>, there is a good explanation of how your water meter works.





water Service Leaks water loss in the pipelines is a big concern to water suppliers. A water loss of 10 % is normal in a water distribution system. Water leaks inside the home are usually found due to high water bills. Water leaks between the house and the street usually can be detected in several ways. The town does a leak survey of its entire distribution system every 2 years.

- A large leak can be heard as a rumbling sound in the basement near the water meter.
- Smaller leaks can be detected by putting a medium size screwdriver on the incoming water service, upstream from the water meter, and pushing the handle tightly against your earlobe. If a leak is present, it will sound like constant "Radio Static". Do this when not using any water in the house. Please call the Water Department if you hear these sounds.

<u>Lawn Irrigation Systems</u> –

A water main break can cause reversal of flow in the water pipes and hazardous materials could be sucked into the water system. A "Backflow Preventor" prevents this from occurring. Massachusetts State Law requires backflow prevention devices to be installed on all irrigation systems and they must be tested annually.



Town of Amherst Department of Public Works 586 South Pleasant Street Amherst, MA 01002-2542

这份报告中有些重要的信息,讲到关于您所在 社区的水的品质。请您 找人翻译一下,或者请 能看得懂这份报告的朋 友给您解释一下。

El informe contiene información importante sobre la calidad del agua en su comunidad. Tradúzcalo o hable con alguien que lo entienda bien.

នេះជាសេចក្តីវាយការណ៍សំខាន់អំពីទីក ទទួលទាននៅទីក្រុងរបស់លោកអ្នក បើមិនយល់សូមមេត្តារកអ្នកបកប្រែឬ អ្នកដែលយល់អំពីសេចក្តីវាយការណ៍ ពនាល់ដល់លោកអក។

Town of Amherst 2006
Drinking Water Quality Report